UNIVERSITY OF MUMBAI MCQ QUESTION BANK

Course Code and Name: CSC801 Human Machine Interaction	Name of Teacher:
Class: BE Computer Engineering	Institute :
Semester:SEM VIII (R2016)	Contact hours assigned to this module:

Hard	25%
Medium	25%
Easy	50%

	Weighat				OPTION	NS		Correct	Level of
dule	ge in Hrs	Q NO	QUESTION (2 marks per question)	A	В	C	D	Answer	question (E/M/H)
1		1	Which of the following devices are mainly responsible for the user interface?	Input and output devices	Memory devices	Processor	CD/DVD drive	A	M
		2	Which of the following statement is true in case of Percention of Colour	8% males and 1% females are color blind	1% males and 8% females are	Humans can not be color	Color blindness is more	A	M
		3	What does HMI stand for?	Human Machine Interface	Human Machine Interaction	Human Machine Implemen	Human Machine Industry	В	E
		4	to design a good computer human interface?	Not every user is a computer expert	Well designed UIs allow the software to be sold at a	_	Well designed UIs allow the computer to	A	М
		5	Which of the following is concerned primarily with understanding human behavior and the mental processes that underlie it?	Psychology	Sociology	Statistics	Computer Science	A	E
		6	Conventional wisdom says that tell the user when he has made some mistake	Program crash	System stuck	Error messages	Metadata	С	Е
		7	involves watching and listening to users	Observation	Evaluation	Qualitativ e research	Interaction	A	E
		8	Which of the following requires less cognitive effort than others?	Listening	Speaking	Hearing	Writing	A	E
		9	Natural Language User Interface can accept input in the form of	String Command	Speech	Image	Text	В	M
		10	In the 1950s Miller indicated that memory limit is "chunks" of information.	7 ± 2	7 ± 3	7 ± 4	7 ± 4	A	Н
		11	Short-term memory is called as	short duration memory	working memory	less memory	low memory	В	Е

12	What is Sensory Storage?	storage of senses	store of information	1	store excess information	С	Н
13	The capacity of the eye to resolve details is called	eye sight	visual acuity	vision	perception	В	Е
14	The size of a chunk of information a person can hold in short-term memory depends on	(knowledge and	Their long- term		Their age and gender.	A	М
15	is a text entry device.	Mouse	Joystick	Keyboard	Trackball	C	S
16	is a not a pointing device.	Pointer	Mouse	Trackball	Light Pen	A	S

	Weighat				OPTION	NS		a	Level of
dule	_	Q NO	QUESTION (2 marks per question)	A	В	C	D	Correct Answer	question (E/M/H)
		1	In a heuristic evaluation	A group of usability expert judges an interface with a detailed checklist ofguidelines	A group of test users conducts a formal experiment	rs a	A group of usability experts reviews a user interface according to	В	Н
		2	Are we building the system right?	Verification	Validation	Inspection	Walk	A	Е
		3	Are we building the right system?	technical review	Validation	Verificati	Walk	В	Е
		4	How many principle in universal design?	Six	Seven	Eight	Ten	В	Е
		5	The cognitive walkthrough mainly evaluates a product's	utility	efficiency.	learnabilit y.	likeability.	C	M
		6	What is the fifth step in defining the requirements with respect to persona-based design?	Brainstorming	Identifying persona expectations	Constructi ng the context	Identifying needs	D	Н
			The system should speak the users' language, with words, phrases and concepts familiar to the user, rather than system oriented terms.	Aesthetics and minimalist design		Match between system and the	Help and documentati on	C	М

dule	ge in Hrs	Q NO	QUESTION (2 marks per question)	A	В	C	D	Answer	question (E/M/H)
	Weighat				OPTION	NS	I	Correct	Level of
		18	Identify from among the following the attribute of usability.	Learnability	Usefulness	Generaliz ability	Subjective satisfaction	A	M
		17	Design phase is followed by	Coding	Testing	Maintena	Prototyping	A	Е
		16	capture the non-verbal dialogue between artifact and user over time	Persona	Scenario	Dialogue	Design model	В	M
		15	Waterfall model is basically a model in which each step must be completed before the next step can be started	Incremental	Linear	Iterative	Analytical	В	M
		14	frequent your primary personas access the site, transient a stance the site needs to take (respectively)	More, Less	Less, more	Less, less	More. more	В	Н
		13	User personas that are not primary or secondary are personas	Supplemental	Served	Negative	Customer	A	Н
		12	Engineering a user interface involves a quantitative engineering style of working in which measurements are used to judge the quality of interface. Hence is appropriate	Usability testing	Field study	Predictive evaluation	DECIDE framework	A	Н
		11		User, task, and environment analysis and modeling	Interface design	Knowledg eable, frequent users	Interface validation	C	М
		10	Dialogues should not contain information which is irrelevant or rarely needed. Every extra unit of information in a dialogue competes with the relevant units of information and diminishes their relative visibility.	Aesthetics and minimalist design	Help users recognize, diagnose, and recover from errors.	Help and document ation	Match between system and the real world	A	Н
2		9	Error messages should be expressed in plain language (no codes), precisely indicate the problem, and constructively suggest a solution.	Visibility of system status	User control and freedom	Error preventio n	Help users recognize, diagnose, and recover from errors	D	М
		8	Users often choose system functions by mistake and will need a clearly marked "emergency exit" to leave the unwanted state without having to go through an extended dialogue. Support undo and	Match between system and the real world	Consistency and standards	Help and document ation	User control and freedom	D	М

		Permit easy personalization,		Comprehens	Consistan			
	1	configuration, and reconfiguration of settings.	Configurability	ibility	cy	Clarity	A	Н
	2	Interface Toolkits for Android mobile framework is	JavaFX	iPhone SDK	Android	Mojo SDK	C	Е
	3	Effective visualizations can not facilitate	increased productivity	mental insights	understan ding the	correct use of data	C	M
	4	When system respond to the user's requests immediately and Provide acknowledgment for all user actions it is called as	Simplicity	Responsiven ess	Efficiency	Transparenc y	В	M
	5	An is the objects in a graphic or pictorial form	Cascading menu	Pop-up menu	Tear off menu	Iconic menu	D	E
	6	Visualization is a process that allows people to understand interaction.	intelligence	cognitive	comprehe nsion	apprehensio n	В	M
	7	In Consistency Similar components should	change the function	Have a similar look	Have similar	Operate similarly	A	Н
	8	is not like other pages; it has different burdens to bear, different promises to keep	Homepage	Form	Navigatio n bar	Sections	A	Е
	9	GUI is a	hardware	language interpreter	software interface	operating system	C	M
3	10	Which one is the basic input device in GUI?	Touch panel	Mouse	Voice	Graphics	В	Е
3	11	A user interface is a collection of to interact with something.	procedures	techniques	instructio ns	methods	В	Е
	12	What is it called when a program is written to respond to the button clicks, menu selections, and other actions of the user in whatever order the user does them?	Event-driven programming.	Action- driven programmin g.	User- driven programm ing.	Mouse- driven programmin g	A	М
	13	An is a graphical representation of a program or file that, when clicked on, will be run or opened	Text	Icon	Message	Color	В	E
	14	Which of the following is not a type of user interface?	Command language based	Efficiency based	Menu based	Direct manipulatio n based	В	M
	15	Which of the following is not a characteristic of direct manipulation interfaces?	Visibility of the objects and actions of interest.	Rapid, reversible, incremental actions	Menu selection and form fill-in	Replacemen t of typed commands by a pointing	С	Н
	16	Making interface visually, conceptually, and linguistically clear is called as	Compatibility	Consistency	Comprehe nsibility	Clarity	D	M

	Weighat				OPTION	NS		G	Level of
dule	ge in Hrs	Q NO	QUESTION (2 marks per question)	A	В	C	D	Correct Answer	question (E/M/H)
		1	Layouts of a Web page may either be	Potrait	frozen	landscape	flowing	В	Н
		2	are an exception to Components of a Statistical Graphic.	Pie Charts	Bar Graphs	Line Graphs	Histograms	A	Н
		3	are primarily incorporated to create a common identity	Captions	Titles	Headings	Labels	С	E
		4	involves seeking specific answers to specific questions or needs	Information gathering	Information finding	Informati on retrieval	Information scanning	В	E
		5	Usually because of security reasons, a page may be designed to "" automatically.	exit	end	close	time out	D	Е
		6	A slider box is sometimes called	container	scroll area	handle	box	C	Н
		7	is a standardized rectangular frame that surrounds a control or group of controls	Control box	Group box	Cluster	Header control	В	E
		8	The degree of physical activity or effort necessary to perform a task or achieve an objective.	Implicit load	Kinematic load	Cognitive load	Dynamic load	В	Н
		9	Which of the following interface design principles does not allow the user to remain in control of the interaction with a computer?	allow interaction to be interruptible	allow interaction to be undoable		only provide one rigidly define	D	Н
		10	A software might allow a user to interact via	design model	user's model	mental image	system image	В	Н
4		11	Perceptual characteristics does not include	proximity	security	similarity	continuty	В	М
		12	When designing time-critical tasks, minimize errors and reduce human response times by doing the following:	Proper validation	Provide alert using dialog boxes	the	Provide minimum data to user	С	М

5		1	Among allrun by themselves	Application framework		MOBILE WEB WIDGET	website	C	M
dule	Weighat ge in Hrs	Q NO	QUESTION (2 marks per question)	A	OPTION B	C	D	Correct Answer	Level of question (E/M/H)
	1 1			<u> </u>	O DOWN O	TO TOTAL	IOOCHIV BO	Γ	
		17	of well-designed systems that use direct manipulation?	icarii basic	work rapidly to carry out a wide range		permanent and cannot	D	Е
			Which of the following is not a beneficial attribute	Novices can	Experts can	Knowledg	User actions are		
		16	Habitability of a user interface refers to	relieve users from learning new syntactic rules.	is for users to determine what objects and actions		Limiting the number of commands and ways of accomplishi ng a task.	В	М
		15	Which of the following is not a guideline for good form fill-in design?	sequence of	that required fields are	Allow users to enter any value in a	Give immediate feedback about errors	С	Е
		14	An alphaslider allows users to	number of required cursor	Customize menu views and	Select one item from a large number of categorica l items	View menu items in context	С	E
		13	Scrolling menus are	*	menu that displays all	A type of menu that displays the first	Another name for adaptive	С	М

Portrait

The vast majority of mobile device screens share the vertical or

same orientation

vertical

and

Horizontal

Horizontal

Horizonta or portrait

A

M

3	They need to be executed on top of something else	Platforms	os	MOBILE WEB WIDGET	website	C	М
4	The type of radio and antenna determines the capability of the and the services you can enable on it.	Operating system	operator	Applicati on framewor	Network	D	Е
5	Limo is	licensed Platforms	open sourse platform	OS	website	A	Н
6	Web Runtimes is an	os	Application framework	MOBILE WEB WIDGET	website	В	Н
7	To create applications, such as a game, a web browser, a camera, or media player. Which of the following option is applicable?	Application framework	OS	MOBILE WEB WIDGET	website	A	Н
8	General representation of red color could be	innocence	Calm	dullness	anger	D	E
9	The operator's role in the ecosystem	is to create and maintain a	is to only create a specific set of wireless services over a reliable cellular network	is to only maintain a specific set of wireless services over a reliable	decide Corporate norms for service	A	Е
10	They often maintain relationships with the subscribers	Aggregrator	Networks	Platforms	Operator	D	E
11	Common mobile OS is	Java	BREW	Flash Lite	Symbian	D	Е

		12	Which can not be a type of Mobile Applications	SMS	Games	Mobile Web Widgets	BREW	D	M
		13	Cons of MOBILE WEB WIDGETS could be	They can be simple to deploy across multiple handsets.	They are easy to create, using basic HTML, CSS, and JavaScript	They typically require a compatibl e platform	They offer an improved user experience and a richer design, tapping into	С	M
		14	The words used to describe information spaces; the labels or triggers used to tell the users what something is and to establish the expectation of	Interaction design	Information design	Interface design	Navigation design	D	Н
		15	Clickstream is	showing the behavior on websites, displaying the order in which users travel through a site_s information architecture,	in our	* *	HTML- based code	A	Н
		16	They can be referred to as MNOs	Operator	Aggregrator	Networks	Operating System	A	Е
	Weighat				OPTION	NS			Lavelof
dule	_	Q NO	QUESTION (2 marks per question)	A	В	С	D	Correct Answer	Level of question (S/M/H)
6		1	A light sensitive device that converts drawing, printed text or other images into digital form is	Printer	Plotter	Scanner	OMR	C	E
		2	What type devices are computer speakers or headphones?	Input	Input/Output	software	Output	D	M

3	A joystick is primarily used to/for	control sound on the screen	computer gaming	enter text	draw pictures	В	Е
4	A bar code reader is an example of	Processing device	input device	output device	storage device	В	Е
5	Which of the following is not a type of user interface	Command line Interface	design interface	Graphical user Interface	Web User Interface	В	Е
6	Menu is coolection of	commands	instructions	icons	orders	A	M
7	box provides a set of choices to the user.	List	Text	Combo	Command	A	М
8	This kind of message is usually identified by an "I" icon to the left of the message.	Informational messages	System messages	Status messages	Warning messages	A	Е
9	Which of the following is not a presentation style of Window	Cascading Windows	Overlapping Windows	Tiled Windows	Primary Window	D	E
10	Currently many common environments for interactive computing are examples of the interface style, often simply called windowing systems.	Three- dimensional	WIMP	Point and Click	Command Line	В	М
11	Using icons on the desktop to represent operations is a type of constraint.	Physical	Logical	Cultural	Physical and logical	С	M
12	Which of the following is keyboard accelerator	Alt+F	Alt+V	Ctrl+X	x	C	M
13	In menu Window indicator is shown by	v		>	>>	В	Н
14	Which of the following control can not used as Mutually Exclusive control	Drop down	Check box	List	Radio Button	В	Е

	1		Conventional wisdom says thattell the user when he has made some mistake	program crash	metadata	error messages	system stuck	С	М
	1	16	icons?	3	small	stand	in group	D	Н
	1	17	is selection based control	Tool tip	Text box		Command Button	C	M