Paper / Subject Code: 31603 / Thermodynamics and Biochemical Engineering

T.E.(BIOTECHNOLOGY)(Sem V) (Choice Based) / 31603 - Thermodynamics & Biochemical Engineering

[Total Marks: 80]

(3 Hours)

Note: 1. Question number one is compulsory 2. Attempt any three of the remaining Questions 3. Each question carries equal marks 4. Figures to the right indicate marks 5. Make suitable assumptions when required and specify them. Q1 Answer the Following (Attempt any four) 20 Explain principle of corresponding states (a) Explain how fugacity of pure gas is calculated using compressibility factor (b) (c) What is the limitation of first law of thermodynamics? Explain Zeroth law Calculate the minimum work required to chill 2 kg of water from 25°C to 5°C. Derive (d) the equation used Cp=4184 J/kg K (e) Explain Open, Closed and Isolated System Q2 (a) Derive expression for Lewis-Randall Rule. Under which conditions is it valid 10 (b) Using Redlich – Kwong equation, calculate the pressure of 0.5 kg gaseous ammonia 10 contained in a vessel of 0.03 m³ at constant temperature of 338 K. The critical temperature and pressure is 405.5 K & 112.8 bar respectively Q3 Explain how Clausius- Clapeyron equation can be used to calculate the latent heat 10 (a) accompanying phase Change Heat is transferred to 10 kg of air which is initially at 100 kPa and 300 K until its 10 (b) temperature reaches 600 K. Determine the change in internal energy, change in enthalpy, the heat supplied and the work done in the following process Constant volume process **Constant Pressure Process** ii. **15** Q4 (a) Show that a gas obeying Vander Waals equation, a change in temperature is given by $dT = \frac{1}{Cp} \left(\frac{2a}{RT} - b \right) dp$ If gas undergoes Joule Thomson expansion What is chemical potential? Effect of temperature and pressure on it 5 (b) Explain any two types of Thermodynamic diagrams Q5 (a) 10 Prove that $Cp - Cv = \frac{\beta^2 VT}{V}$ 10 (b) Q6 (a) Explain the terms 10 Fugacity is **Fugacity Coefficient** ii. Activity iii. iv. Activity coefficient Gibbs free energy A gas mixture containing 3 mole CO₂, 5 mole H₂ and 1 mole of H₂O is undergoing (b) **10** following reaction $CO_2 + 3H_2 \longrightarrow CH_3OH + H_2O$ $CO_2 + H_2 \longrightarrow CO + H_2O$ ìi. Develop the expression for mole fraction of species in terms of extent of reaction